



打印明天 打印世界

北京市顺义区杨镇工业区纵二路8-2号,101309
电话:86-10-62950602 传真:86-10-82414179
更多信息请致电: 400 635 5588或登录 www.jhfprinter.com
以上机器的技术指标及内容以实际销售出的机器为准, 本彩页内容更改不再另行通知, JHF拥有解释权。

JHF

The Future of Imaging

JHF



JHF - 北京金恒丰科技有限公司, 在中国高端图像打印领域市场占有率稳居前列。历经近20年的发展和匠心打造, 已成为中国数码喷印设备研发和制造的先锋企业。企业拥有自己独立的研发团体及核心技术, 自主研发、生产的高端数码打印技术产品包括宽幅和超宽幅高画质UV打印机、纺织印花机、数码印刷机等工业数码打印设备。产品通过CE和ISO9001质量体系认证, 并拥有多项自主知识产权和注册商标。

JHF提供全球优质服务、高清画质标准、性能优越的打印技术可广泛应用于: 广告与展示、纺织与印花、影像与艺术、包装与印刷等领域。

打印无处不在, 我们的愿景是:
持续创新并提供核心竞争优势的产品助力客户成功。

打印明天, 打印世界!



JHF, No.1 market share of China wide format high-end digital printing . With 20 years long-standing experience and specialisation make JHF a driver of innovation in digital printing technology. We develop and manufacture the high-end digital printing systems for wide&super format & highest print quality inkjet printer, industrial digital inkjet printer, digital textile printing machine. The company's products have passed CE certification and ISO9001 international quality system certification, and have a number of independent intellectual property rights and registered trademarks.

High quality standards, outstanding performance, and with excellent worldwide service, JHF printer deliver huge diversity of print application : Sign&display, textile printing, photo&graphic art, packaging printing and more...

Our vision: Keep our persistent innovation and provide core competitiveness for our customers succeed .

The future of Imaging .

我们的愿景




JHF 打印明天 打印世界
The Future of Imaging

让你拥有更强的竞争优势

JHF 匠心打造工业级数码印花机
提供更完备的数码印花解决方案

采用的高速高性能工业级喷头和绿色无污染墨水, 囊括多种面料打印, 在确保画面精致夺目的同时, 还可以满足客户多样化生产需求。



Fashion
Home Textiles
Decoration
Sportswear
Flags & Banners

P30



P200

**Impowers you
with strong competitiveness**

Complete Range of Digital Textile Printing Solution

Ensures the eye-catching picture quality with diversification of production to meet customer's request. Through reducing energy and water consumption, and using our 100% biodegradable inks, you can benefit from the most eco-friendly solution in the textile printing industry.



T3700



T1800



JHF



The new generation high capacity industrial digital textile printer

P30 高速工业数码印花机

规格 Specifications

机器型号: P30
 机器名称: 重型工业级数码印花机
 喷头类型: Kyocera 工业打印头
 喷头数量: 16/24/32
 配置颜色: 4 / 6 / 8
 墨滴大小: 最小墨滴4PL, 8级灰度
 打印速度: 高速模式 415m²/h
 生产模式 225m²/h
 精细模式 150m²/h
 机器幅宽: 2000mm
 有效幅宽: 1800mm
 适用墨水: 活性、酸性、分散
 适用面料: 丝、棉、麻、化纤、尼龙
 环境温度: 25℃-28℃
 环境湿度: 55%-75%
 机器尺寸: 6900mm*4100mm*2250mm
 控制软件: JHF Printer software
 控制方式: PCIE
 RIP软件: Caldera/neoStampa
 墨桶容量: 20L

- High-performance industrial digital textile printer
- 4pl Drop size-8 Graylevels
- Up to 32 printheads
- 1800mm printing width
- 16heads speed 415(max)-225-150 sqm/h
- Ink type: Reactive、Acid、Disperse
- Fabric type : silk、cotton、linen、blends、nylon

*以上打印速度按16头配置, 更快产能可选更多喷头配置。



P200 工业数码印花机



Small size and compact
Your ideal digital textile printer for small to medium businesses ,easy and friendly usage and low maintenance costs

规格 Specifications

机器型号: P200
 机器名称: 轻型导带工业级数码印花机
 喷头型号: Kyocera 工业打印头
 喷头数量: 4 / 6
 颜色配置: 4 / 6
 墨滴大小: 最小墨滴4PL, 8级灰度
 打印速度: 高速模式 140m²/h
 生产模式 70m²/h
 精细模式 55m²/h
 机器幅宽: 2000mm
 打印幅宽: 1800mm
 适用墨水: 活性、酸性、分散
 适用面料: 丝、棉、麻、化纤、尼龙
 环境温度: 25℃-28℃
 环境湿度: 55%-75%
 机器尺寸: 5050mm*1900mm*1500mm
 控制软件: JHF Printer software
 控制方式: PCIE
 RIP软件: Caldera/neoStampa
 墨桶容量: 5L

- Entry level digital textile printer
- 4pl Drop size-8 Graylevels
- 4/6 printheads
- 1800mm printing width
- Printing speed 140(max)-70-55 sqm/h
- Ink type: Reactive、Acid、Disperse
- Fabric type : silk、cotton、linen、blends、nylon



JHF

工业数码印花机 T1800

Compact and flexible
Your ideal sublimation paper printing solution for sample and production



规格 Specifications

| | |
|---------------------------------|--|
| 机器型号: T1800 | Model: T1800 |
| 机器名称: 卷对卷工业级数码印花机 | Machine name: Roll to roll digital textile printer |
| 喷头型号: Kyocera工业打印头 | Printheads: Kyocera |
| 喷头数量: 4 | No of printheads: 4 |
| 颜色: 4 | Color: 4 |
| 墨滴大小: 最小墨滴5PL | Nozzle size: variable, 5 pl |
| 打印速度: 高速模式 220m ² /h | Printing speed |
| 标准模式 116m ² /h | High speed mode: 220 m ² / h |
| 品质模式 80m ² /h | Standard mode: 116 m ² / h |
| 机器幅宽: 2000mm | Quality mode: 80 m ² / h |
| 打印幅宽: 1800mm | Material width: 2000 mm |
| 适用墨水: 分散 | Print width: 1800 mm |
| 打印介质: 转印纸 | Ink type: disperse |
| 环境温度: 25℃-28℃ | Print media: transferring paper |
| 环境湿度: 55%-75% | Working temperature 25 ℃-28 ℃ |
| 机器尺寸: 4300mm*1500mm*1800mm | Working humidity: 55% to 75% |
| 控制软件: JHF Printer software | Machine size: 4300 mm * 1500 mm * 1800 mm |
| 控制方式: PCIE | Controlling software: JHF Printer software |
| RIP软件: Caldera或Neostamp | Interface: PCIE |
| 墨桶容量: 5L | RIP software: Caldera or Neostamp |
| | Ink tank capacity: 5L |



宽幅面 纺织直印机 T3700

3.2 Meter Roll To Roll Textile Printer
direct print on polyester fabric
and sublimation paper



规格 Specifications

| | |
|---------------------------------|---|
| 机器型号: T3700 | Model: T3700 |
| 机器名称: 热升华直喷打印机 | Machine name: sublimation inkjet printer |
| 喷头型号: Kyocera | Printheads: Kyocera |
| 喷头数量: 4*1/6*1 | No of printheads: 4*1/6*1, one row |
| 颜色: 4/6 | Color: 4/6 |
| 墨滴大小: 5PL 可变点墨滴打印 | Nozzle size: variable, 5 pl |
| 打印速度: 高速模式 200m ² /h | Printing speed |
| 标准模式 160m ² /h | High speed mode: 200 m ² / h |
| 品质模式 110m ² /h | Standard mode: 160 m ² / h |
| 精细模式 90m ² /h | Quality mode: 110 m ² / h |
| 机器幅宽: 3200mm | Fine mode: 90 m ² / h |
| 打印幅宽: 3150mm | Material width: 3200 mm |
| 适用墨水: 分散 | Print width: 3150 mm |
| 打印介质: 直喷热升华化纤面料、转印纸 | Ink type: disperse |
| 环境温度: 25℃-28℃ | Print media: chemical fiber fabrics, transferring paper |
| 环境湿度: 55%-75% | Working temperature 25 ℃-28 ℃ |
| 机器尺寸: 6200mm*1400mm*1800mm | Working humidity: 55% to 75% |
| 控制软件: JHF Printer software | Machine size: 6200 mm * 1400 mm * 1800 mm |
| 控制方式: PCIE | Controlling software: JHF Printer software |
| RIP软件: Caldera或Neostamp | Interface: PCIE |
| 墨桶容量: 5L | RIP software: Caldera or Neostamp |
| | Ink tank capacity: 5L |